

SITE TOW 500 GALLON



500 GALLON SITE TOW

Product Description

The site tow 500 is an extremely versatile bunded fuel bowser, and is built in accordance with the latest regulations. The fully bunded tank is constructed from 3mm steel throughout and is seated on a tough steel channel chassis. Site tow specific features include handbrake and 40mm ring hitch, with mudguards, single heavy duty axle and floatation tyres. The inner tank features a baffled design to ensure the tank is stable when in transport. The delivery equipment and inlets/outlets to the inner tank are housed in a secure, lockable cabinet on top at the front or rear of the tank. The tank can be separated from the chassis by means of the quick release system this means the tank can be used as a static tank if required.

QUICK RELEASE SYSTEM

Features

- ▶ 500 gallon (2275 litre) capacity
- ▶ Designed to meet ADR fuel transportation legislation, The lid is fully removable for
- ▶ Inspection and cleaning.
- ▶ Steel inner tank, steel chassis
- ▶ Floatation tyres 11.5/80-15.3 10 Ply
- ▶ Large 6 stud braked hubs for long service life
- ▶ Heavy duty single braked axle
- ▶ PVC Mudguards (high impact)
- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Quick release system to separate tank from chassis
- ▶ Automatic breather
- ▶ All ancillaries enclosed within the steel bund and supplied c/w shutter lock

Technical Information & prices **Optional Extras:**

Pumps include 24volt/ 12volt/ 2&4 stroke petrol or diesel

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3870 x 1860 x 1820	2275	1225	3400	2"x2 BSP	

ROAD TOW 500 GALLON



500 GALLON ROAD TOW

Product Description

The road tow 500 is an extremely versatile bunded fuel bowser, and is built in accordance with the latest regulations. The fully bunded tank is constructed from 3mm steel throughout and is seated on a tough steel channel chassis. Road tow specific features include a handbrake and hydraulically damped overrun braked ring hitch or ball hitch, with twin metal mudguards, twin rubber suspension axles c/w 13 x 185 tyres. The inner tank features a baffled design to ensure the tank is stable when in transport. The delivery equipment and inlets/outlets to the inner tank are housed in a secure, lockable cabinet on top at the front or rear of the tank. The tank can be separated from the chassis by means of the quick release system this means the tank can be used as a static tank if required.

Features

- ▶ 500 gallon (2275 litre) capacity
- ▶ Designed to meet ADR fuel transportation legislation, The lid is fully removable for inspection and cleaning.
- ▶ Steel inner tank, steel chassis
- ▶ Tyres 13"x185
- ▶ Large 4 stud braked hubs for long service life
- ▶ Twin braked axle
- ▶ Twin metal mudguards
- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Quick release system to separate tank from chassis
- ▶ Automatic breather
- ▶ All ancillaries enclosed within the steel bund and supplied c/w shutter lock

Technical Information & prices

Optional Extras:

Pumps include 24volt/ 12volt/ 2&4 stroke petrol or diesel

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3870 x 1860 x 1820	2275	1225	3400	2"x2 BSP	

Fuel Flask 50 Gallon Static Tank



Product Description

The *Fuel flask 50* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank, the *Fuel Flask 50* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 50 gallon (230litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid for inspection and cleaning

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1000 x 1000 x 980	230	200	400	2x2" BSP	

Fuel Flask 100 Gallon Static Tank



Product Description

The *Fuel flask 100* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bonded and pressure tested inner tank, the *Fuel Flask 100* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 100 gallon (455 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meter, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1000 x 900 x 1150	454	210	610	2x2" BSP	

Fuel Flask 150 Gallon Static Tank



Product Description

The *Fuel flask 150* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bonded and pressure tested inner tank, the *Fuel Flask 150* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 150 gallon (682 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1200 x 1000 x 1180	682	460	1060	2x2" BSP	

Fuel Flask 250 Gallon Static Tank



Product Description

The *Fuel flask 250* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bunded and pressure tested inner tank, the *Fuel Flask 250* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 250 gallon (1137 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1550 x 1350 x 1200	1137	500	1500	2x2" BSP	

Fuel Flask 300 Gallon Static Tank



Product Description

The *Fuel flask 300* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bonded and pressure tested inner tank, the *Fuel Flask 300* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 300 gallon (1364 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1750 x 1350 x 1200	1364			2x2" BSP	

Fuel Flask 400 Gallon Static Tank



Product Description

The *Fuel flask 400* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank, the *Fuel Flask 400* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 400 gallon (1820 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras: Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel engine

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
2200 x 1350 x 1200	1820	640	2240	2x2" BSP	

Fuel Flask 500 Gallon Static Tank



Product Description

The *Fuel flask 500* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank, the *Fuel Flask 500* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 500 gallon (2275 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
2600 x 1350 x 1200	2275	730	2730	2x2" BSP	

Fuel Flask 600 Gallon Static Tank



Product Description

The *Fuel flask 600* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank, the *Fuel Flask 600* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 600 gallon (2730 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3000 x 1350 x 1200	2730			2x2" BSP	

Fuel Flask 800 Gallon Static Tank



Product Description

The *Fuel flask 800* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bunded and pressure tested inner tank, the *Fuel Flask 800* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 800 gallon (3640 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3000 x 1300 x 1600	3640			2x2" BSP	

Fuel Flask 1000 Gallon Static Tank



Product Description

The *Fuel flask 1000* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bonded and pressure tested inner tank, the *Fuel Flask 1000* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 1000 gallon (4550 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3000 x 1550 x 1500	4550	960	4960	2x2" BSP	

Fuel Flask 1500 Gallon Static Tank



Product Description

The *Fuel flask 1500* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bunged and pressure tested inner tank, the *Fuel Flask 1500* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets. All fuel flasks are stackable three high.

Features

- ▶ 1500 gallon (6825 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3000 x 1900 x 1475	6825			2x2" BSP	

Fuel Flask 2000 Gallon Static Tank



Product Description

The *Fuel flask 2000* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank, the *Fuel Flask 2000* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of fuel, using either the lifting eyes or the forklift pockets.

Features

- ▶ 2000 gallon (9092 litre) capacity
- ▶ Ideal for refueling small plant & machinery, ground care equipment, generators and traffic control equipment
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3000 x 2600 x 1500	9092			2x2" BSP	

Metal Mortar Container



Product Description

The *Mortar Containers* are manufactured using a tough, fully welded design made from 3mm steel throughout with forklift pockets at the base. The container can be lifted using either the lifting eyes or the forklift pockets. These are ideal for use with loadalls and can be made to any size.

Features

- ▶ 250 litre capacity
- ▶ Ideal for transporting mortar around a building site
- ▶ Features forklift pockets
- ▶ Available in all BS colours:
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)		Price (£)
1250 x 1050 x 300	250	300			

Bunded Drip Trays



Product Description

The *Bund a Drum* is manufactured using a tough, fully welded design made from 3mm steel throughout. The tray can be lifted using the forklift pockets. The top is galvanized and is fully removable for cleaning. This product has been designed to meet the new regulations on oil storage. The *Bund a Drum* can be supplied for use for single or twin drum applications

Features

- ▶ 210 litre capacity single drum
- ▶ Easy for transporting around the work place
- ▶ Features forklift pockets
- ▶ Available in all BS colours:
- ▶ Removable mesh for cleaning
- ▶ Serial number / I.D tag

Technical Information & prices

Single	Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)		Price (£)
	1000 x 1000 x 400	210	300			
Twin	Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)		Price (£)
	2000 x 1000 x 400	420	600			

Fuel Flask 2000 Gallon Static Tank

(Including external cabinet)



Product Description

The *Fuel flask 2000* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank, the *Fuel Flask 2000* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. This tank is ideally suited for the larger applications and a full range for pumps and accessories can be fitted to suit your requirements.

Features

- ▶ 2000 gallon (9092 litre) capacity
- ▶ Ideal for refueling large plant & machinery, haulage wagons.
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted with one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ K2 hand pump (22 litres/min) with 6m hose and trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with 2 x shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3100 x 2800 x 1630	9092	1800	9800	2x2" BSP	

Haulier 2000 Static Tank **(Special all in price ready to go)**



Product Description

The *Fuel flask Haulier 2000* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bunded and pressure tested inner tank, the *Fuel Flask 2000* complies with all current regulations. The anti-vandal lockable doors ensures all delivery equipment and inlets/outlets are kept secure. This tank is ideally suited for the lager applications. This *Fuel flask 2000* comes complete with an 57 Lt/min 240 volt pump, 3 Digit flow meter c/w totalizer, 6m hose, auto shut off nozzle and fuel contents gauge fitted as standard.

Features

- ▶ 2000 gallon (9092 litre) capacity
- ▶ Ideal for refueling large plant & machinery, haulage wagons.
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted with a fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ 57 Lt/min 240 volt pump
- ▶ Available in all BS colours:
- ▶ Comes complete with 2 x shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras: *(Different combinations are available on request)*

110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3100 x 2800 x 1630	9092	1800	9800	2x2" BSP	

250 GALLON SITE WATER BOWSER



Product Description

The 250 GALLON water storage tank is manufactured using a tough, fully welded outer tray design made from 3mm steel throughout with forklift pockets at the base. The anti-vandal lockable doors ensures all delivery equipment and inlets/outlets are kept secure. This tank is ideally suited for large/ small construction applications.

Features

- ▶ 250 gallon (1250 litre) capacity
- ▶ Ideal for large/ small construction sites
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted with quick release water connections
- ▶ Fitted with 230 volt water pump c/w pressure sensor automatic on off

- ▶ 57 Lt/min 240 volt pump
- ▶ Available in all BS colours:
- ▶ Can be mounted on a trailer
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras: *(Different combinations are available on request)*

110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3100 x 2800 x 1630	1250	300	1300	1x4" 1x2"bsp	

Fuel Flask 1500/ 500 Gallon Split Static Tank (Special complete all in price)



Product Description

The *Fuel flask 1500/ 500 Split* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bunded and pressure tested inner tank, the *Fuel Flask 1500/500* complies with all current regulations. The anti-vandal lockable doors ensures all delivery equipment and inlets/outlets are kept secure. This tank is ideally suited for the lager applications. This *Fuel flask 1500/500* comes complete with two 57 Lt/min 240 volt pump, 3 Digit flow meter c/w totalizer, 6m hose, auto shut off nozzle and fuel contents gauge fitted as standard.

Features

- ▶ 1500 gallon (6825 liters) capacity
- ▶ 500 gallon (2275 liters) capacity
- ▶ Ideal for refueling large plant & machinery, haulage wagons.
- ▶ Anti-vandal lockable doors to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted with a fuel gauge and one way breather to protect against spillage

- ▶ 2 x 57 Lt/min 240 volt pump c/w 3 digit flow meters
- ▶ Available in all BS colours:
- ▶ Comes complete with 4 x shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras: *(Different combinations are available on request)*

110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3100 x 2800 x 1630	9092	1800	9800	2x2" BSP	

2,4,6 Yard Steel Skips



Product Description

The 6 yard skip is manufactured using a tough, fully welded skin design made from 3mm steel throughout. The lifting points have extra plates for longer life. All our skips are stackable and can be painted to your colours.

Features

- ▶ Fully welded seams
- ▶ Double rail design
- ▶ Available in all BS colours:
- ▶ Serial number / I.D tag

Technical Information & prices

Dimensions L x W x H (mm)	Capacity	Empty weight (kg)			Price (£)
182 x 121 x 76.2	2 Yard	n/a			

Dimensions L x W x H (mm)	Capacity	Empty weight (kg)			Price (£)
243 x 152 x 102	4 Yard	n/a			

Dimensions L x W x H (mm)	Capacity	Empty weight (kg)			Price (£)
325 x 170 x 111	6 Yard	n/a			

Steel Fork Lift Tip Skips



Product Description

The Tip skips are manufactured using a tough, fully welded design, made from 3mm steel throughout. The heavy duty design means it will take the punishment of every day duty. The edges of the tip skip are reinforced for strength.

Features

- ▶ Fully welded seams
- ▶ Double edge design
- ▶ Available in all BS colours:
- ▶ Serial number / I.D tag

- ▶ Heavy duty cradle
- ▶ Safety chains

- ▶ Extended release handle of ease of use

Technical Information & prices

Dimensions L x W x H (mm)	Capacity	Empty weight (kg)			Price (£)
1630 x 1297 x 1106	1.10m	n/a			

Dimensions L x W x H (mm)	Capacity	Empty weight (kg)			Price (£)
1826 x 1302 x 1106	1.40m	n/a			

Dimensions L x W x H (mm)	Capacity	Empty weight (kg)			Price (£)
1826 x 1557 x 1106	1.70m	n/a			

Oil Flask 204L Mobile Tank



Product Description

The *oil flask 204* is manufactured using a tough, fully welded double skin design made from 1.5mm steel throughout with forklift pockets at the base. With a fully bonded and pressure tested inner tank, the *Oil Flask 204* complies with all current regulations. The anti-vandal lockable door ensures all delivery equipment and inlets/outlets are kept secure. The tank can be lifted full of oil using the forklift pockets. A number of pumps are available from 12v 24v 230v air pumps. This is oil flask idle for mobile use or for the garage.

Features

- ▶ 45 gallon (204litre) capacity
- ▶ Ideal for mobile servicing of small plant & machinery, ground care equipment, generators
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted to a fully sealed fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid for inspection and cleaning
- ▶ 12v 24v 230v air pump with 6m hose and electronic delivery meter trigger
- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ large rubber wheels for ease of movement
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 24volt/ 12volt/ Air pumps

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1000 x 1000 x 980	205	100	400	2x2" BSP	

Waste Oil Flask 250 Gallon



Product Description

The *Waste oil flask 250* is manufactured using a tough, fully welded double skin design made from 3.0mm steel throughout with forklift pockets at the base. With a fully banded and pressure tested inner tank c/w filter drain, the *Waste oil Flask 250* complies with all current regulations. The anti-vandal lockable door ensures contents are kept secure. The tank can be lifted full of oil using the forklift pockets. This flask is ideal for small or large garages.

Features

- ▶ 250 gallon (1137litre) capacity
- ▶ Ideal for mobile servicing of small plant & machinery, ground care equipment, generators
- ▶ Anti-vandal lockable door
- ▶ Features forklift pockets
- ▶ Filter drain built in
- ▶ Removable outer lid for inspection and cleaning

- ▶ Available in all BS colours:
- ▶ Comes complete with shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ Serial number / I.D tag

Optional extras:

Pumps 230 volt/ 24volt/ 12volt/ Air pumps

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
1500 x 1350 x 1200	1137	500	1500	600 x 600	

Haulier 2500 Static Tank **(Special all in price ready to go)**



Product Description

The *Fuel flask Haulier 2500* is manufactured using a tough, fully welded double skin design made from 3mm steel throughout with forklift pockets at the base. With a fully bonded and pressure tested inner tank, the *Fuel Flask 2500* complies with all current regulations. The anti-vandal lockable doors ensures all delivery equipment and inlets/outlets are kept secure. This tank is ideally suited for the larger applications. This *Fuel flask 2500* comes complete with an 57 Lt/min 240 volt pump, 3 Digit flow meter c/w totalizer, 6m hose, auto shut off nozzle and fuel contents gauge fitted as standard.

Features

- ▶ 2500 gallon (11375 litre) capacity
- ▶ Ideal for refueling large plant & machinery, haulage wagons.
- ▶ Anti-vandal lockable door to protect delivery equipment and inner tank
- ▶ Features forklift pockets
- ▶ Fitted with a fuel gauge and one way breather to protect against spillage
- ▶ Removable outer lid

- ▶ 57 Lt/min 240 volt pump
- ▶ Available in all BS colours:
- ▶ Comes complete with 2 x shutter lock
- ▶ Removable lid for inspection and cleaning
- ▶ 4 lifting eyes
- ▶ Serial number / I.D tag

Optional extras: *(Different combinations are available on request)*

110volt/ 24volt/ 12volt choice of 2 & 4 stroke petrol and diesel

Flow meters, auto shut off nozzles, fuel filters, water traps, flow & return pipe work

Technical Information & prices

Dimensions L x W x H (mm)	Capacity (litres)	Empty weight (kg)	Full weight (kg)	Filler neck	Price (£)
3100 x 3250 x 1630	11375	2000	9800	2x2" BSP	

